Brain Research, 625 (1993) 357–359
Elsevier Science Publishers B.V.

Author Index

Abe, K., see Sarder, M. (625) 347
Agani, F.H., see Prabhakar, N.R. (625) 16
Aguila, M.C., Boggaram, V. and McCann, S.M.
Insulin-like growth factor I modulates hypothalamic somatostatin through a growth hormone releasing factor increased somatostatin release and messenger ribonucleic acid levels (625) 213
Akiguchi, I., see Tomimoto, H. (625) 1
Albin, R.L., see Sakurai, S.Y. (625) 181
Alexander, G.M., Schwartzman, R.J., Grothusen, J.R., Brainard, L. and Gordon, S.W.
Changes in brain dopamine receptors in MPTP parkinsonian monkeys following L-dopa treatment (625) 276
Allen, D.L., Johnson, A.E., Tempel, A., Zukin, R.S., Luine, V.N. and McEwen, B.S.
Serotonergic lesions decrease μ- and δ-opiate receptor binding in discrete areas of the hypothalamus and in the midbrain central gray (625) 269
Amiguet, P., see Tosic, M. (625) 307
Andbjer, B., see Lippoldt, A. (625) 45
Anderson, G.M., see Chakraborty, M. (625) 197
Anthony, E., see Barnea, A. (625) 313
Armstrong, D.M., see Benzing, W.C. (625) 125

Babcock, A.M., Baker, D.A. and Lovec, R.
Locomotor activity in the ischemic gerbil (625) 351
Baker, D.A., see Babcock, A.M. (625) 351
Barnea, A., Anthony, E., Lu, G. and Cho, G.
Morphological differentiation of neuropeptide Y neurons in aggregate cultures of dissociated fetal cortical cells: a model system for glia–neuron paracrine interactions (625) 313
Bartfai, T., see Hulting, A.-L. (625) 173
Bayer, B.M., see Ding, X.Z. (625) 139
Benzing, W.C., Mufson, E.J. and Armstrong, D.M.
Immunocytochemical distribution of peptidergic and cholinergic fibers in the human amygdala: their depletion in Alzheimer's disease and morphologic alteration in non-demented elderly with numerous senile plaques (625) 125
Berman, J.W., see Hurwitz, A.A. (625) 238
Berthold, M., see Hulting, A.-L. (625) 173
Bertram, E.H. and Cornett, J.
The ontogeny of seizures in a rat model of limbic epilepsy: evidence for a kindling process in the development of chronic spontaneous seizures (625) 295
Bhargava, H.N. and Thorat, S.N.
Effect of thyrotropin releasing hormone on U-50,488H-induced pharmacological responses in mice (625) 120
Bland, L.R., see Layer, R.T. (625) 38
Boggaram, V., see Aguila, M.C. (625) 213
Bohuon, C., see Huguet, F. (625) 256
Bohus, B., see Wiersma, A. (625) 219
Bonvento, G., see Florence, G. (625) 301
Brainard, L., see Alexander, G.M. (625) 276
Brooke, S., see Jacobson, L. (625) 84

Cao, Y., see Lippoldt, A. (625) 45
Carter, S.R., see LaVail, J.H. (625) 57
Ceccatelli, S. and Eriksson, M.
The effect of lactation on nitric oxide synthase gene expression (625) 177
Chakraborty, A., see Chakraborty, M. (625) 197
Chakraborty, M., Anderson, G.M., Chakraborty, A. and Chatterjee, D.
Accumulation of high level of $pp60^{c\text{-}srcN}$ is an early event during GM_3-antibody mediated differentiation of neuro-2a neuroblastoma cells (625) 197
Chang, C.H., see Prabhakar, N.R. (625) 16
Charbonne, R., see Florence, G. (625) 301
Chatterjee, D., see Chakraborty, M. (625) 197
Chen, H., Kurenny, D.E. and Smith, P.A.
Heparin prevents M-current over-recovery but not M-current suppression in bullfrog sympathetic ganglion neurones (625) 323
Cho, G., see Barnea, A. (625) 313
Choi, D.W., see Hewett, S.J. (625) 337
Cintra, L., see García-Ruiz, M. (625) 203
Comoy, E., see Huguet, F. (625) 256
Corbett, J.A., see Hewett, S.J. (625) 337
Corkidi, G., see García-Ruiz, M. (625) 203
Cornett, J., see Bertram, E.H. (625) 295
Cotman, C.W., see Su, J.H. (625) 228
Culman, J., Tschöpe, C., Jost, N., Itoi, K. and Unger, T.
Substance P and neurokinin A induced desensitization to cardiovascular and behavioral effects: evidence for the involvement of different tachykinin receptors (625) 75
Cummings, B.J., see Su, J.H. (625) 228

Dawe, G.S., Gray, J.A., Sinden, J.D., Stephenson, J.D. and Segal, M.
Extracellular recordings in the colchicine-lesioned rat dentate gyrus following transplants of fetal dentate gyrus and CA1 hippocampal subfield tissue (625) 63
De Lang, H., see Florijn, W.J. (625) 169
Díaz-Cintra, S., see García-Ruiz, M. (625) 203
Ding, X.Z. and Bayer, B.M.
Increases of CCK mRNA and peptide in different brain areas following acute and chronic administration of morphine (625) 139
Dolivo, M., see Tosic, M. (625) 307
Domanska-Janik, K., see Tosic, M. (625) 307
Dray, A., see Thompson, S.W.N. (625) 100
Dykes, R.W., see Jiménez-Capdeville, M.E. (625) 152

Edwall, L., see Olgart, L. (625) 109
Eriksson, M., see Ceccatelli, S. (625) 177

Florence, G., Bonvento, G., Roucher, P., Charbonne, R. and Seylaz, J.
Effect of nimodipine on the autoregulation of cerebral blood flow studied by laser-Doppler flowmetry (625) 301
Florijn, W.J., Holtmaat, A.J.G.D., De Lang, H., Spierenburg, H., Gispen, W.H. and Versteeg, D.H.G.
Peptide-induced grooming behavior and caudate nucleus dopamine release (625) 169
Fried, K., see Olgart, L. (625) 109
Fuxe, K., see Lippoldt, A. (625) 45

Ganten, D., see Lippoldt, A. (625) 45
García-Ruiz, M., Díaz-Cintra, S., Cintra, L. and Corkidi, G.
Effect of protein malnutrition on CA3 hippocampal pyramidal cells in rats of three ages (625) 203
Gispen, W.H., see Florijn, W.J. (625) 169
Gołembiowska, K., see Wędzony, K. (625) 333
Gordon, S.W., see Alexander, G.M. (625) 276
Gray, J.A., see Dawe, G.S. (625) 63
Grothusen, J.R., see Alexander, G.M. (625) 276

Haddad, G.G. and Jiang, C.
Mechanisms of anoxia-induced depolarization in brainstem neurons: in vitro current and voltage clamp studies in the adult rat (625) 261
Han, E., see Joseph, R. (625) 244
Harris-Warrick, R.M., see Johnson, B.R. (625) 159
Haxhiu, M.A., see Prabhakar, N.R. (625) 16
Hewett, S.J., Corbett, J.A., McDaniel, M.L. and Choi, D.W.
Inhibition of nitric oxide formation does not protect murine cortical cell cultures from *N*-methyl-D-aspartate neurotoxicity (625) 337
Hökfelt, T., see Hulting, A.-L. (625) 173
Holtmaat, A.J.G.D., see Florijn, W.J. (625) 169
Hori, K., see Tomimoto, H. (625) 1
Huguet, F., Comoy, E., Piriou, A. and Bohuon, C.
Age-related changes of noradrenergic–NPY interaction in rat brain: norepinephrine, NPY levels and α-adrenoceptors (625) 256

Hulting, A.-L., Land, T., Berthold, M., Langel, Ü., Hökfelt, T. and Bartfai, T.
Galanin receptors from human pituitary tumors assayed with human galanin as ligand (625) 173
Hurwitz, A.A., Berman, J.W., Rashbaum, W.K. and Lyman, W.D.
Human fetal astrocytes induce the expression of blood-brain barrier specific proteins by autologous endothelial cells (625) 238
Hyvönen, M., see Lahtinen, H. (625) 93

Ibata, Y., see Ichitani, Y. (625) 328
Ichitani, Y., Tanaka, M., Okamura, H. and Ibata, Y.
Cholinergic neurons contain Calbindin-D_{28k} in the monkey medial septal nucleus and nucleus of the diagonal band: an immunocytochemical study (625) 328
Itoi, K., see Culman, J. (625) 75

Jacobson, L., Brooke, S. and Sapolsky, R.
Corticosterone is a preferable ligand for measuring rat brain corticosteroid receptors: competition by RU 28362 and RU 26752 for dexamethasone binding in rat hippocampal cytosol (625) 84
Jiang, C., see Haddad, G.G. (625) 261
Jiménez-Capdeville, M.E. and Dykes, R.W.
Daily changes in the release of acetylcholine from rat primary somatosensory cortex (625) 152
Johnson, A.E., see Allen, D.L. (625) 269
Johnson, B.R., Peck, J.H. and Harris-Warrick, R.M.
Dopamine induces sign reversal at mixed chemical–electrical synapses (625) 159
Joseph, R., Tsang, W., Han, E. and Saed, G.M.
Neuronal β-amyloid precursor protein gene expression: regulation by aurintricarboxylic acid (625) 244
Jost, N., see Culman, J. (625) 75

Kameyama, T., see Ukai, M. (625) 355
Kato, H., see Liu, X.-H. (625) 29
Kato, K., see Liu, X.-H. (625) 29
Kimura, J., see Tomimoto, H. (625) 1
Klimek, V., see Wędzony, K. (625) 333
Kobayashi, T., see Ukai, M. (625) 355
Kogure, K., see Liu, X.-H. (625) 29
Komiyama, A., see Ohno, M. (625) 186
Koolhaas, J.M., see Wiersma, A. (625) 219
Kumar, G.K., see Prabhakar, N.R. (625) 16
Kurenny, D.E., see Chen, H. (625) 323

Lahtinen, H., Ylinen, A., Hyvönen, M., Sirviö, J., Miettinen, R. and Riekkinen Sr., P.J.
Preservation of hippocampal NMDA receptors may be crucial for spatial learning after epileptic seizures in rats (625) 93
Land, T., see Hulting, A.-L. (625) 173
Langel, Ü., see Hulting, A.-L. (625) 173
LaVail, J.H., Carter, S.R. and Topp, K.S.
The retrograde tracer Fluoro-Gold interferes with the infectivity of herpes simplex virus (625) 57
Layer, R.T., Bland, L.R. and Skolnick, P.
MK-801, but not drugs acting at strychnine-insensitive glycine receptors, attenuate methamphetamine nigrostriatal toxicity (625) 38
Lippoldt, A., Andbjer, B., Rosén, L., Richter, E., Ganten, D., Cao, Y., Pettersson, R.F. and Fuxe, K.
Photochemically induced focal cerebral ischemia in rat: time dependent and global increase in expression of basic fibroblast growth factor mRNA (625) 45
Liu, X.-H., Kato, H., Nakata, N., Kogure, K. and Kato, K.
An immunohistochemical study of copper/zinc superoxide dismutase and manganese superoxide dismutase in rat hippocampus after transient cerebral ischemia (625) 29
Lovec, R., see Babcock, A.M. (625) 351
Lu, G., see Barnea, A. (625) 313
Luine, V.N., see Allen, D.L. (625) 269
Lutz, P.L., see Sakurai, S.Y. (625) 181
Lyman, W.D., see Hurwitz, A.A. (625) 238

Martin, P.M., see Ohno, M. (625) 186
Mathieson, W.B., see Wilkinson, M.F. (625) 342
Matthieu, J.-M., see Tosic, M. (625) 307
McCann, S.M., see Aguila, M.C. (625) 213
McDaniel, M.L., see Hewett, S.J. (625) 337
McEwen, B.S., see Allen, D.L. (625) 269
Mengual, E., Velayos, J.L. and Reinoso-Suárez, F.
Nicotinamide-adenine dinucleotide phosphate diaphorase activity matches acetylcholinesterase-rich patches in the medial thalamic nuclei of the cat (625) 165
Miettinen, R., see Lahtinen, H. (625) 93
Mufson, E.J., see Benzing, W.C. (625) 125

Nakai, Y., see Okuda, H. (625) 145
Nakai, Y., see Shioda, S. (625) 9
Nakashima, T., see Okuda, H. (625) 145
Nakata, N., see Liu, X.-H. (625) 29
Nakayama, H., see Okuda, H. (625) 145

Ohno, M., Komiyama, A., Martin, P.M. and Suzuki, K.
MHC class II antigen expression and T-cell infiltration in the demyelinating CNS and PNS of the twitcher mouse (625) 186
Okamoto, M., see Okuda, H. (625) 145
Okamura, H., see Ichitani, Y. (625) 328
Okuda, H., Shioda, S., Nakai, Y., Nakayama, H., Okamoto, M. and Nakashima, T.
Immunocytochemical localization of nicotinic acetylcholine receptor in rat hypothalamus (625) 145
Olgart, L., Edwall, L. and Fried, K.
Cat dental pulp after denervation and subsequent re-innervation: changes in blood-flow regulation and distribution of neuropeptide-, GAP-43- and low-affinity neurotrophin receptor-like immunoreactivity (625) 109

Peck, J.H., see Johnson, B.R. (625) 159
Pettersson, R.F., see Lippoldt, A. (625) 45
Piriou, A., see Huguet, F. (625) 256
Pittman, Q.J., see Wilkinson, M.F. (625) 342
Prabhakar, N.R., Kumar, G.K., Chang, C.H., Agani, F.H. and Haxhiu, M.A.
Nitric oxide in the sensory function of the carotid body (625) 16

Radek, R.J.
Effects of nicotine on cortical high voltage spindles in rats (625) 23
Rashbaum, W.K., see Hurwitz, A.A. (625) 238
Reinoso-Suárez, F., see Mengual, E. (625) 165
Richter, E., see Lippoldt, A. (625) 45
Riekkinen Sr., P.J., see Lahtinen, H. (625) 93
Rosén, L., see Lippoldt, A. (625) 45
Roucher, P., see Florence, G. (625) 301

Saed, G.M., see Joseph, R. (625) 244
Saito, H., see Sarder, M. (625) 347
Sakurai, S.Y., Lutz, P.L., Schulman, A. and Albin, R.L.
Unchanged [^{3}H]MK-801 binding and increased [^{3}H]flunitrazepam binding in turtle forebrain during anoxia (625) 181
Sapolsky, R., see Jacobson, L. (625) 84
Sarder, M., Saito, H. and Abe, K.
Interleukin-2 promotes survival and neurite extension of cultured neurons from fetal rat brain (625) 347
Schulman, A., see Sakurai, S.Y. (625) 181
Schwartzman, R.J., see Alexander, G.M. (625) 276
Segal, M., see Dawe, G.S. (625) 63
Seylaz, J., see Florence, G. (625) 301
Shaikh, M.B., Steinberg, A. and Siegel, A.
Evidence that substance P is utilized in medial amygdaloid facilitation of defensive rage behavior in the cat (625) 283
Shioda, S. and Nakai, Y.
Medullary synaptic inputs to thyrotropin-releasing hormone (TRH)-containing neurons in the hypothalamus: an ultrastructural study combining WGA-HRP anterograde tracing with TRH immunocytochemistry (625) 9
Shioda, S., see Okuda, H. (625) 145
Siegel, A., see Shaikh, M.B. (625) 283
Sinden, J.D., see Dawe, G.S. (625) 63
Sirviö, J., see Lahtinen, H. (625) 93
Skolnick, P., see Layer, R.T. (625) 38
Smith, P.A., see Chen, H. (625) 323
Spierenburg, H., see Florijn, W.J. (625) 169
Steinberg, A., see Shaikh, M.B. (625) 283
Stephenson, J.D., see Dawe, G.S. (625) 63
Su, J.H., Cummings, B.J. and Cotman, C.W.
Identification and distribution of axonal dystrophic neurites in Alzheimer's disease (625) 228
Suzuki, K., see Ohno, M. (625) 186

Tanaka, M., see Ichitani, Y. (625) 328
Tempel, A., see Allen, D.L. (625) 269
Thompson, S.W.N., Urban, L. and Dray, A.
Contribution of NK_1 and NK_2 receptor

activation to high threshold afferent fibre evoked ventral root responses in the rat spinal cord in vitro (625) 100
Thorat, S.N., see Bhargava, H.N. (625) 120
Tomimoto, H., Akiguchi, I., Wakita, H., Kimura, J., Hori, K. and Yodoi, J. Astroglial expression of ATL-derived factor, a human thioredoxin homologue, in the gerbil brain after transient global ischemia (625) 1
Topp, K.S., see LaVail, J.H. (625) 57
Tosic, M., Dolivo, M., Amiguet, P., Domanska-Janik, K. and Matthieu, J.-M. Paralytic tremor (*pt*) rabbit: a sex-linked mutation affecting proteolipid protein-gene expression (625) 307
Tsang, W., see Joseph, R. (625) 244
Tschöpe, C., see Culman, J. (625) 75

Ukai, M., Kobayashi, T. and Kameyama, T. Dynorphin A-(1–13) attenuates basal forebrain-lesion-induced amnesia in rats (625) 355
Unger, T., see Culman, J. (625) 75
Urban, L., see Thompson, S.W.N. (625) 100

Velayos, J.L., see Mengual, E. (625) 165
Versteeg, D.H.G., see Florijn, W.J. (625) 169

Wakita, H., see Tomimoto, H. (625) 1
Wędzony, K., Gołembiowska, K. and Klimek, V. MK-801-induced symptoms of sensitization.. The lack of correlation with the extracellular concentration of dopamine in the rat prefrontal cortex (625) 333
Wiersma, A., Bohus, B. and Koolhaas, J.M. Corticotropin-releasing hormone microinfusion in the central amygdala diminishes a cardiac parasympathetic outflow under stress-free conditions (625) 219
Wilkinson, M.F., Mathieson, W.B. and Pittman, Q.J. Interleukin-1β has excitatory effects on neurons of the bed nucleus of the stria terminalis (625) 342

Ylinen, A., see Lahtinen, H. (625) 93
Yodoi, J., see Tomimoto, H. (625) 1

Zukin, R.S., see Allen, D.L. (625) 269